

| COD. | MODELLO | m ³ /h max. | Pa max | Portata nominale Qnom | W | A | V- | Hz | Ph | dB(A) [1m] | dB(A) [3m] |
|---------|------------------|---------------------------|-----------|-----------------------------|--------|------|-----|-------|----|---------------|---------------|
| AP20071 | UVR 500 MF HE | 650 | 470 | 620 | 2x120 | 0,84 | 230 | 50/60 | 1 | 51 | 46 |
| AP20073 | UVR 700 MF HE | 750 | 470 | 720 | 2x120 | 0,84 | 230 | 50/60 | 1 | 51 | 46 |
| AP20075 | UVR 1200 MF HE | 1200 | 600 | 1120 | 2x270 | 1,76 | 230 | 50/60 | 1 | 51 | 46 |
| AP20077 | UVR 1600 MF HE | 1600 | 750 | 1580 | 2x270 | 1,76 | 230 | 50/60 | 1 | 59 | 53 |
| AP20079 | UVR 2300 MF HE | 2300 | 500 | 1780 | 2x1070 | 2,9 | 230 | 50/60 | 1 | 60 | 55 |
| AP20081 | UVR 2800 MF HE * | 2800 | 650 | 2160 | 2x1070 | 4,4 | 230 | 50/60 | 1 | 61 | 56 |
| AP20083 | UVR 3200 MF HE * | 3200 | 650 | 2540 | 2x1040 | 4,5 | 230 | 50/60 | 1 | 62 | 56 |
| AP20085 | UVR 3800 MF HE * | 3800 | 800 | 2760 | 2x1040 | 4,5 | 230 | 50/60 | 1 | 62 | 56 |
| AP20087 | UVR 4500 MF HE * | 4500 | 650 | 2680 | 2x2200 | 5,6 | 230 | 50/60 | 1 | 63 | 57 |
| AP20089 | UVR 5400 MF HE * | 5400 | 830 | 4780 | 2x2200 | 8,6 | 230 | 50/60 | 1 | 64 | 59 |
| AP20091 | UVR 6500 MF HE * | 6500 | 1200 | 4880 | 2x2310 | 9,4 | 230 | 50/60 | 1 | 63 | 61 |
| AP20093 | UVR 7100 MF HE * | 7100 | 1100 | 5140 | 2x2370 | 9,3 | 230 | 50/60 | 1 | 65 | 62 |
| AP20095 | UVR 8500 MF HE * | 8500 | 830 | 6460 | 2x2380 | 9,8 | 230 | 50/60 | 1 | 66 | 63 |